

ADDITIONAL TREATMENT RECOMMENDATIONS

If you have a problem with liver:

SAME is able to normalize levels of liver enzymes in individuals with liver disease. (his synonyms are Ademetionin, ademetionine, adenosylmethionine, Ade-SD4, AdoMet, Gumbartal (German), Heptral (Russian), S-adenosylmethionine, SAM-e, Sammy, Samyr (Italian), sulfoadenosilmethionina (Italian), sulfo-adenosil-L-metionina (Spanish), sulfo-adenosyl-L-methionine sulfate-p-toluensulfonate (stable salt form), sulfo-adenosyl-methionine.) Prescription: 2 times in a week intravenous injections 5ml (10 ampules). +

Liv 52 used as hepatoprotective medicine. (Capparis spinosa extract + Cassiae occidentalis extract + Solani nigri extract + Tamarix gallica extract + Terminaliae arjuna extract + Millefolii herbae extract). Complex product of plant origin. It has antioxidant properties and membrane-stabilization effect. Reduces degradation of cell membranes caused by NADPH-dependent lipid peroxidation, increases the concentration of tocopherol (antioxidant) hepatocytes and prevents the formation of radical derivatives. Normalizes –proteine sintesis of liver function, stimulates recovery of liver cells, has cholagogue effect, increases the rate of removal of acetaldehyde, reduces the toxic effects of ethanol hepatotoxicity and other substances to improve the process of digestion, has some anti-inflammatory effect. Prescription: 1 pill 4 times a day during 25 days. (100 pills). Should be used during feeding!

Blood cleaning:

Dextran is a complex, branched glucan (polysaccharide made of many glucose molecules) composed of chains of varying lengths (from 10 to 150 kilodaltons). It is used medicinally as an antithrombotic (anti-platelet), to reduce blood viscosity, and as a volume expander in anemia. Dextran in intravenous solution provides an osmotically neutral fluid that once in the body is digested by cells into glucose and free water. It is occasionally used to replace lost blood in emergency situations, when replacement blood is not available, but must be used with caution as it does not provide necessary electrolytes and can cause hyponatremia or other electrolyte disturbances.

If you have a problem with kidneys:

Palin (Pipemidic acid) a new antibiotic for the urinary tract. Antimicrobial against Gram negative and some Gram positive bacteria. It is protein bound and concentrated in bile and urine and used for gastrointestinal, biliary, and urinary infections. Prescription: 1 pill 4 times a day during 25 days. (100 pills). Should be used during feeding! +

Solidago compositum S (Heel) content is: *solidago virgaurea D3, Berberis vulgaris D4, Vesica urinaria suis D8, Pylon suis D10, Ureter suis D10, Urethra suis D10, Terebinthina laricina D6, Mercurius sublimatus corrosivus D8, Acidum arsenicosum D28, Cuprum sulphuricum D6, Bucco D8, Hepar sulphuris D10, Capsicum annuum D6, Orthosiphon stamineus D6, Equisetum hyemale D4, Pareira brava D6, Cantharis D6, Apisinum D8, Baptisia tinctoria D4, Natrium pyruvicum D10, Pyrogenium-Nosode D198, Sarsaparilla D6, Bacterium coli-Nosode D13, Coxsackie-Virus-A9-Nosode D8, Argentum nitricum D6* (22 ml of each). isotonic (0.9%) solution of sodium chloride qs. **Prescription:** 2 times a week by 2ml intramuscularly. (5 ampules).

If you have a problem with stagnation of urine:

Lasix - Lasix is a loop diuretic (water pill) that prevents your body from absorbing too much salt, allowing the salt to instead be passed in your urine. Lasix treats fluid retention (edema) in people with congestive heart failure, liver disease, or a kidney disorder such as nephrotic syndrome. This medication is also used to treat high blood pressure (hypertension). Lasix is a loop diuretic (water pill) that prevents your body from absorbing too much salt, allowing the salt to instead be passed in your urine. Lasix treats fluid retention (edema) in people with congestive heart failure, liver disease, or a kidney disorder such as nephrotic syndrome. This medication is also used to treat high blood pressure (hypertension). Before application of Lasix the blood pressure should be in norm! **Prescription:** 2 times a week by 2ml, intramuscularly. (10 ampules). +

Spirolactone (the trade names Aldactone, Novo-Spiroton, Spiractin, Spirotone, Verospiron or Berlactone) is a **diuretic** and is used as an **antiandrogen**. Spirolactone is a synthetic steroid that acts as a competitive antagonist to aldosterone. Its onset and duration of action are determined by the kinetics of the **aldosterone** response in the target tissue. Substantial inactivation of spironolactone occurs in the liver. Over all, spironolactone has a rather slow onset of action, requiring several days before full therapeutic effect is achieved. **Prescription:** 1tabl. 2 times in a week (in the morning, before the breakfast). 30 tablets.

If you want to heal the heart:

Curantil (Persantine, dipyridamole USP) helps reduce the formation of blood clots in people who have had heart valve surgery. It is used in combination with anticoagulants (eg, warfarin). Dipyridamole keeps the platelets in your blood from coagulating (clotting) to prevent blood clots from forming on or around an artificial heart valve. Prescription: 2 times a week by 2ml, intramuscularly. (5 ampules). +

Panangin His indications are: heart failure, heart attack, a breach of a heart rhythm (mainly jeludockove adults), additional therapy in the treatment of cardiac glycosides, gipokaliemia, gipomagniemia, insufficient flow of magnesium and potassium in the body when they lack in the diet. Prescription: 2 times a week by 5ml+5%glucose solution, drops, intravenously. (5 ampules).

The recommendations written by **Tatyana Parshina**,
Doctor of the CCC PHOENIX LLC